

Test ID #	Description	Note	Result
1	Basic call in/out	Supported codecs G729 / G711	ok / ok
2	Basic call in/out with CLIP	CLIP incoming / outgoing (main, DID etc.)	ok / ok
3	CLIR	Over dialplan, i.e. "92 + ext. n°	ok with Privacy ID
4	CLIP - no screening	CLIP with different number as Company one on outgoing calls	ok
5	Internal transfer (with offering)		ok
6	Internal transfer (without offering)		ok
7	External transfer (with offering)		ok
8	External transfer (without offering)		ok
9	Internal FWD (no answ, busy and forced)		ok
10	External FWD (CFU, CFB, CFNA)	Default CLIP if "show original number" is not set on trunk	ok
11	External FWD (CFU, CFB, CFNA) CLIP - no scr.	CLIP no screening if "show original number" is set on trunk	ok
12	Call reject	Incoming external call and reject call DND / Reject button	ok
13	Mobility feature	from internal / external	ok
	Mobility feature	Default CLIP if "show original number" is not set on trunk	ok
	Mobility feature	CLIP no screening if "show original number" is set on trunk	ok
14	Fax IN Fax2Mail		ok
15	Fax IN FXS		ok
16	Fax OUT Collaboration		ok
17	Fax OUT FXS		ok
18	Call to switched off Mobile		ok
19	Call to switched off Mobile with voicemail		ok
20	DTMF on numbers with IVR		ok
21	DTMF on tollfree numbers		ok

Info: [http://www.peoplefone.de/de/produkte/peoplefone\\_sip\\_trunk\\_pbx/](http://www.peoplefone.de/de/produkte/peoplefone_sip_trunk_pbx/)

Used version:

**Wildix**

WMS: 3.80.31344.12

**Peoplefone**

User-Agent: Server VOIP 1.1

## Trunk Config

Edit trunk ✕

Pricelist

Title

Trunk name

Auth Login

From user

From domain

Address or Host Name  :

Password

Dialplan

Country Code

Enable registration

▼ Advanced

Audio codecs  g729

alaw

ulaw

Video codecs  h263, h263p, h264

T38

From number

From name

Cid Header

Cid Body

Privacy Header

Show original caller number

Support Refer and Hold

Session Timer

Registration Expiry (sec)

Custom DNS Server

Outbound proxy  :

NAT IP

100rel

Transport

Cid Body: <sip:\${num}@sip.peoplefone.de>

### Dialplan example incoming calls

**Edit PeoplefoneDE**

Description: Incoming dialplan for peoplefone

4932221785240

1 Dial the phone Number 102 Set Timeout Options Set Message for operator

Add application

4932221785241

1 Fax to e-mail fabrizio.dichello@wildix.com Set format pdf ID Fax: WILDIXFAX Set

Add application

493222178524X

1 Dial the phone Number 10(called number-12) Set Timeout Options Set Message for operator

Add application

4932221785240 = example for dialing extension 102

4932221785241 = example for dialing fax service mail2fax

493222178524X = example for DID from 4932221785240 to 4932221785249 translated to internal number 10X (100 to 109)

### Dialplan outgoing calls

0. : 0 followed by any digit (external)

1 Dial the trunk PeoplefoneDE - Pe Number (called number-1) Set Class Auto Timeout max calls Options Set

Add application

### "Anonymous Call" (CLIR)

93.

1 Custom application SIPAddHeader(Privacy: Id)

2 Dial the trunk PeoplefoneDE - Pe Number (called number-3)  Class Auto  Timeout  max calls  Options

[Add application](#)

Note: Example with dialing "93" to restrict CLIP and dial number with leading "0" for trunk access.

Custom application "SIPAddHeader(Privacy: id)" used to set "Privacy: Id" requested from provider in order to restrict number

### User config to send:

#### CLIP (DID)

		User Name	Login	Phone	Fax	Office	Email	Mobility	Dialplan	Fax dialp...		Group
	ZD	Anna Muster		102		+4932221785243			users	users		Default

#### CLIP (no screening)

		User Name	Login	Phone	Fax	Office	Email	Mobility	Dialplan	Fax dialp...		Group
	ZD	Anna Muster		102		+490800223355			users	users		Default